

Product Code	VLT %	VLR %	UV Transmission %	Summer U-Factor W/m2K	Winter U-Factor W/m2K	Shading Coefficient	Solar Energy Transmission %	Solar Energy Reflectance %	Solar Energy Absorption %	TSER %	* IGDB ID#
Black Chrome 5	8.8	26.4	<1	5.37	5.90	0.38	8.0	26.3	65.7	68.0	1746
Black Chrome 10	13.4	17.6	<1	5.35	5.90	0.39	11.1	15.8	73.1	67.0	1732
Black Chrome 20	27.5	24.8	<1	5.48	6.03	0.48	23.7	20.8	55.5	59.0	1733
Black Chrome 30	39.8	16.7	<1	5.57	6.11	0.59	35.4	14.1	50.5	49.0	1734
Black Stone 10	9.0	10.0	<1	5.53	6.09	0.42	15.0	18.0	67.0	64.0	1703
Black Stone 20	16.0	12.0	<1	5.50	6.06	0.45	20.0	18.0	62.0	61.0	1704
Black Stone 30	32.0	8.0	<1	5.67	6.23	0.64	39.0	9.0	52.0	45.0	1705
SF420NC	23.0	27.0	<1	5.39	5.92	0.46	21.0	25.0	54.0	60.0	1762
SF435NC	38.0	16.0	<1	5.47	6.00	0.59	34.0	15.0	51.0	50.0	1763
SF450NC	48.0	13.0	<1	5.50	6.03	0.69	46.0	12.0	42.0	41.0	1760
SF750NC	49.0	12.0	<1	5.50	6.03	0.67	43.0	11.0	46.0	43.0	1761